Report Date: 01 Feb 2013

### Summary Report for Individual Task 071-070-0007 Restore an M202A1 Multishot Rocket Launcher to Carrying Configuration Status: Approved

DISTRIBUTION RESTRICTION: Distribution authorized to U.S. Government agencies only.

DESTRUCTION NOTICE: Destroy by any method that will prevent disclosure of contents or reconstruction of the document

**Condition:** Given an M202A1 multishot rocket launcher prepared for firing and the requirement to restore the launcher to carrying configuration. Some iterations of this task should be performed in MOPP.

**Standard:** Prepare the launcher in such a manner that it is not damaged and is returned to a safe carrying configuration.

Special Condition: None

Special Standards: None

Special Equipment: None

**MOPP:** Sometimes

Task Statements

Cue: None

# **DANGER**

None

## **WARNING**

None

### **CAUTION**

None

Remarks: None

Notes: None

#### **Performance Steps**

- 1. Position trigger safety button on SAFE.
- 2. Close the sight cover, position the sight in the forward detent, and fold the sight assembly in against the launcher.
- 3. Press the trigger release button, which unlocks the handle, and rotate it upward, engaging the interlock and releasing the front cover.
- 4. Close and latch the front cover.
- 5. Position the launcher on the ground so that it is resting on the front cover.
- 6. Depress the rocket clip lock button and push on the rear of the rocket clip, retracting it into the launcher.
- 7. Check the rocket clip latch to ensure it is engaged in the rocket clip attachment slot of the firing pin mechanism assembly.
- 8. Close and latch the rear cover.

(Asterisks indicates a leader performance step.)

**Evaluation Preparation:** SETUP: At the test site, provide the Soldier with all the equipment given in the task condition statement.

BRIEF SOLDIER: Tell the Soldier to assume a correct firing position with the launcher. Once he has assumed the firing position, tell him to restore the M202A1 multishot rocket launcher to the carrying configuration.

PERFORMANCE MEASURES	GO	NO-GO	N/A
Positioned trigger safety button on SAFE.			
2. Closed the sight cover.			
3. Pressed the trigger release button, unlocked the handle and rotated it upward, engaged the interlock, and released the front cover.			
4. Closed and latched the front cover.			
5. Positioned the launcher on the ground so that it rested on the front cover.			
6. Depressed the rocket clip lock button and pushed the rear of the rocket clip, retracting it into the launcher.			
7. Checked the rocket clip latch to ensure it was engaged in the rocket clip attachment slot of the firing pin mechanism assembly.			
8. Closed and latched the rear cover.			

#### Supporting Reference(s):

Step Number	Reference ID	Reference Name	Required	Primary
		66-MM ROCKET LAUNCHER, M202A1 (REPRINTED W/BASIC INCL C1-2)	No	No

**Environment:** Environmental protection is not just the law but the right thing to do. It is a continual process and starts with deliberate planning. Units will assess environmental risk using the checklist and assessment matrixes in TC 3-34.489 and FM 3-100.4. Always be alert to ways to protect our environment during training and missions. In doing so you will contribute to the sustainment of our training resources while protecting people and the environment from harmful effects.

**Safety:** In a training environment, leaders must perform a risk assessment in accordance with FM 5-19, Composite Risk Management. Leaders will complete a DA Form 7566 COMPOSITE RISK MANAGEMENT WORKSHEET during the planning and completion of each task and sub-task by assessing mission, enemy, terrain and weather, troops and support

available-time available and civil considerations, (METT-TC). Note: During MOPP training, leaders must ensure personnel are monitored for potential heat injury. Local policies and procedures must be followed during times of increased heat category in order to avoid heat related injury. Consider the MOPP work/rest cycles and water replacement guidelines IAW FM 3-11.4, NBC Protection, FM 3-11.5, CBRN Decontamination. Everyone is responsible for safety. A thorough risk assessment must be completed prior to every mission or operation.

Prerequisite Individual Tasks: None
Supporting Individual Tasks: None
Supported Individual Tasks: None
Supported Collective Tasks: None